



# PRESCRIPTIVE APPROACH-SIMPLE FORM

For the Washington State Energy Code (WSEC) 2009 Edition  
Climate Zone 1

### Site Information:

Lot: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_  
 State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Phone 2: \_\_\_\_\_  
 FAX: \_\_\_\_\_

### **Building Department Use Only:**

Permit # \_\_\_\_\_  
 Notes:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**WSEC Table 6-1**  
**PRESCRIPTIVE REQUIREMENTS FOR SINGLE-FAMILY RESIDENTIAL OR DUPLEX**  
**CLIMATE ZONE 1**  
 (Unlimited Glazing Option Only)

Option	Glazing Area % of Floor	Glazing U-Factor		Door U-Factor	Ceiling	Vaulted Ceiling	Wall Above Grade	Wall Interior Below Grade	Wall Exterior Below Grade	Floor	Slab on Concrete
		Vertical	Overhead								
III	Unlimited	0.30	0.50	0.20	R-49 or R-38 adv	R-38	R-21 int	R-21 TB	R-10	R-30 / U=0.029	R-10 2'

**This Project complies with the following:**

- √ The project is a single-family residence or duplex.
- √ The project is a wood frame OR all of the insulation is interior or exterior of the framing.
- √ All building components meet the requirements listed above.
- √ The project will meet all other provisions of the WSEC and VIAQ.

**The Project will take advantage of the following exceptions to the prescriptive option.**

- 602.6 Exception 2.** One unlabeled or untested exterior swinging door, 24 sq.ft. or less, may be installed per unit for ornamental, security, or architectural purposes.  
 Location of the door taking this exception: \_\_\_\_\_
- 602.6 Exception 2.** If a door is mostly glass, it should meet the requirement of the vertical glazing U-factor listed above.  
 Location of the door(s) taking exception: \_\_\_\_\_

**Type of Heat Source:** \_\_\_\_\_