



PRESCRIPTIVE APPROACH-SIMPLE FORM

For the Washington State Energy Code (2006 Edition)
Climate Zone 1

Site Information:

Lot: _____
 Address: _____
 City: _____
 State: _____ Zip: _____
 Contact: _____
 Phone: _____
 Phone 2: _____
 FAX: _____

Building Department Use Only:

Permit # _____
 Notes:

Table 6-1
PRESCRIPTIVE REQUIREMENTS FOR GROUP R OCCUPANCY
CLIMATE ZONE 1
 (Unlimited Glazing Option Only)

Option	Glazing Area % of Floor	Glazing U-Factor		Door U-Factor	Ceiling	Vaulted Ceiling	Wall Above Grade	Wall Interior Below Grade	Wall Exterior Below Grade	Floor	Slab on Concrete
		Vertical	Overhead								
IV	Unlimited Group R-3 and R-4 Occupancies Only	0.35	0.58	0.20	R-38	R-30	R-21	R-21	R-10	R-30	R-10

This Project complies with the following:

- √ The project is a single-family residence or duplex.
- √ The project is a wood frame OR all of the insulation is interior or exterior of the framing.
- √ All building components meet the requirements listed above.
- √ The project will meet all other provisions of the WSEC and VIAQ.

The Project will take advantage of the following exceptions to the prescriptive option.

- 602.6 Exception 2.** One unlabeled or untested exterior swinging door, 24 sq.ft. or less, may be installed per unit for ornamental, security, or architectural purposes.
 Location of the door taking this exception: _____
- 602.6 Exception 2.** If a door is mostly glass, it should meet the requirement of the vertical glazing U-factor listed above.
 Location of the door(s) taking exception: _____

Type of Heat Source: _____